

Kategorija: **AMD matične ploče**

Proizvođač: **Gigabyte**

**Matična ploča AM4 Gigabyte A520M S2H  
VGA/DVI/HDMI/M.2**

**Maloprodajna cena: 7.990,00 RSD**

**Web cena: 7.990,00 RSD**

Šifra: **4719331809720**



## Specifikacija

Tip procesora	AMD
Podnožje	AMD® AM4
Čipset	AMD® A520
Format ploče	Micro ATX
Podržana memorija	DDR4
Podržani procesori	<ul style="list-style-type: none"> <li>-AMD podnožje AM4, podržava : 3rd Generation AMD Ryzen procesore / 3rd Generation AMD Ryzen sa Radeon grafičkim procesorima</li> <li>- 2 x DDR4 DIMM podnožje podržava do 64 GB (32 GB single DIMM capacity) memorije sistema</li> <li>- 3rd Gen AMD Ryzen procesori:</li> <li>- Podržava DDR4 5000(O.C.) / 4866(O.C.) / 4600(O.C.) / 4400(O.C.) / 4000(O.C.) / 3600(O.C.) / 3333(O.C.) / 3200 / 2933 / 2667 / 2400 / 2133 MHz memorijske module</li> <li>- 3rd Gen AMD Ryzen sa Radeon grafičkim procesorima:</li> <li>- Podržava DDR4 5000(O.C.) / 4866(O.C.) / 4600(O.C.) / 4400(O.C.) / 4000(O.C.) / 3600(O.C.) / 3333(O.C.) / 3200 / 2933 / 2667 / 2400 / 2133 MHz memorijske module</li> <li>- Dual channel memory architecture</li> <li>- Podržava ECC Un-buffered DIMM 1Rx8/2Rx8 memorijske module</li> <li>- Podržava non-ECC Un-buffered DIMM 1Rx8/2Rx8/1Rx16 memorijske module</li> <li>- Podržava Extreme Memory Profile (XMP) memorijske module</li> </ul>
Memorija	
Integrirana grafička karta	<ul style="list-style-type: none"> <li>Integrated in the 3rd Generation AMD Ryzen Radeon grafički procesori:</li> <li>- 1 x D-Sub port, podržava maksimalnu rezoluciju od 1920x1200@60 Hz</li> <li>- 1 x DVI-D port, podržava maksimalnu rezoluciju od 1920x1200@60 Hz</li> <li>- The DVI-D port ne podržava D-Sub konekciju putem adaptera</li> <li>- 1 x HDMI port, podržava maksimalnu rezoluciju od 4096x2160@60 Hz</li> <li>- Podržava HDMI 2.1 version, HDCP 2.3, i HDR</li> <li>- Podržava do 3 displeja istovremeno</li> <li>- Maksimalna deljena memorija 16GB</li> </ul>

Slotovi za proširenje	<p>CPU: - 1 x PCI Express x16 slot, podržava PCIe 3.0 and running at x16</p> <p>Chipset: - 2 x PCI Express x1 slots, podržava PCIe 3.0</p> <p>CPU: - 1 x M.2 connector (podnožje 3, M key, tip 2242/2260/2280 SATA i PCIe 3.0 x4/x2 SSD podrška)</p>
Skladište	<p>- Chipset: 4 x SATA 6Gb/s konektori - Podržava RAID 0, RAID 1, i RAID 10</p>
Mrežna karta	- Realtek GbE LAN chip (1000 Mbit/100 Mbit)
Zvučna karta	<p>- Realtek ALC887 codec - High Definition Audio - 2/4/5.1/7.1-channel</p>
USB	<p>CPU: - 4 x USB 3.2 Gen 1 porta na zadnjem panelu</p> <p>Chipset: - 2 x USB 3.2 Gen 1 porta dostupni putem internog USB header - 6 x USB 2.0/1.1 ports (2 porta na zadnjem panelu, 4 porta dostupni putem internih USB headera)</p>
Konektori na zadnjoj strani	<p>- 1 x PS/2 keyboard/mouse port - 1 x D-Sub port - 1 x DVI-D port - 1 x HDMI port - 4 x USB 3.2 Gen 1 ports - 2 x USB 2.0/1.1 ports - 1 x RJ-45 port - 1 x Q-Flash Plus button - 3 x audio jacks</p>

- 1 x 24-pin ATX main power connector
- 1 x 8-pin ATX 12V power connector
- 1 x CPU fan header
- 2 x system fan headers
- 1 x addressable LED strip header
- 1 x RGB LED strip header
- 1 x M.2 Socket 3 connector
- 4 x SATA 6Gb/s connectors
- 1 x front panel header
- 1 x front panel audio header
- 1 x USB 3.2 Gen 1 header
- 2 x USB 2.0/1.1 headers
- 1 x Trusted Platform Module (TPM) header (2x6 pin, for the GC-TPM2.0\_S module only)
- 1 x serial port header
- 1 x speaker header
- 1 x chassis intrusion header
- 1 x Clear CMOS jumper

#### Interni konektori

- 1 x 128 Mbit flash
- Licencirani AMI UEFI BIOS
- PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0

#### BIOS

Raspoloživost robe možete proveriti pozivanjem Call Centra na 032/340-410

Cena na sajtu su iskazane u dinarima sa uračunatim porezom, a plaćanje se vrši isključivo u dinarima.

Nastojimo da budemo što precizniji u opisu proizvoda, prikazu slika i samih cena, ali ne možemo garantovati da su sve informacije kompletne i bez grešaka. Svi artikli prikazani na sajtu su deo naše ponude i ne podrazumeva da su dostupni u svakom trenutku.