

Kategorija: **Intel matične ploče**

Proizvođač: **Asus**

Matična ploča AM5 Asus TUF GAMING B860-PLUS-CSM WiFi

Maloprodajna cena: 24.990,00 RSD

Web cena: 22.990,00 RSD

Ušteda: 2.000,00 RSD

Šifra: **4711387814857**



Specifikacija

Procesorsko ležište (socket)	Intel 1851
Čipset	Intel B860
Tip memorije	DDR5
Memorijski slotovi	4
Podržane memorije	8.666+MT/s (O.C.)
Maksimalna ukupna memorija	256GB
Ostale osobine	Podrška za Unbuffered ECC memoriju, Podrška za Extreme Memory Profile (XMP), Dvokanalni (Dual-channel) režim rada memorije, Podrška za non-ECC UDIMM memory, ASUS Enhanced Memory Profile III (AEMP III), Podrška za CUDIMM
PCI Express x16 slot	1x PCI Express 5.0, 1x PCI Express 4.0 (x4 mode)
SATA priključci (ukupno)	4
SATA priključci	SATA III 6Gbps
Broj M.2 slotova	3
Podržani M.2 formati	1x 2242 / 2260 / 2280 (podrška za PCIe 4.0 x4 mod), 1x 2242 / 2260 / 2280 (podrška za PCIe 5.0 x4 mod), 1x 2242 / 2260 / 2280 / 22110 (podrška za PCIe 4.0 x4 mod)
RAID	RAID 0, RAID 1, RAID 5, RAID 10
Žična mreža (LAN)	2.5GBase-T (Gigabit)
Model	Realtek

Wi-Fi	Da (opciono)
Broj kanala	7.1
Model	Realtek
Napomena	High Definition, Audio Shielding, Premium audio capacitors, Dedicated audio PCB layers
Broj DisplayPort priključaka	1
DisplayPort priključci	1x DisplayPort 1.4
Broj HDMI priključaka	1
HDMI priključci	1x HDMI 2.1
Ukupno USB priključaka	6
Ukupno USB-C priključaka	1
USB-A priključci	2x USB 10Gbps (3.2 Gen 2), 2x USB 2.0, 1x USB 5Gbps (3.2 Gen 1)
USB-C priključci	1x USB 20Gbps (3.2 Gen 2x2)
RJ-45 (LAN)	1
Audio	3x 3.5mm
Naponski priključci	1 x 24 pin Main Power connector, 1 x 8-pin +12V CPU Power connectors
USB-A	1 x podrška za 2 USB 5Gbps porta, 2 x podrška za 4 USB 2.0 porta
USB-C	1 x podrška za 1 USB 5Gbps port
Audio	1x Front panel header
Ostali priključci	1 x S/PDIF Out header, 1 x SPI TPM header, 1 x 4-pin AIO Pump header, 1 x 4-pin CPU OPT Fan header, 1 x 10-1 pin System Panel header, 1 x 4-pin CPU Fan header, 1 x Clear CMOS header, 3 x Addressable Gen 2 headers, 4 x 4-pin Chassis Fan headers, 1 x COM Port header, 1 x AURA RGB header, 1 x Thunderbolt™ (USB4®) header, 1x Chassis Intrusion Header, 1 x M.2 with E key for Wi-Fi module
Podržane tehnologije	AURA Sync, DIGI+VRM, LANGuard, Overvoltage Protection, SafeSlot, Q-DIMM, Q-Slot, ProCool, VRM heatsink design, Q-LED (CPU [red], DRAM [yellow], VGA [white], Boot Device [yellow green]), M.2 heatsink, Stainless-Steel Back I/O, Aura Sync RGB
Format	ATX
Dimenzije	305mm x 244mm
Prava potrošača:	Zagarantovana sva prava kupaca po osnovu zakona o zaštiti potrošača

Raspoloživost robe možete proveriti pozivanjem Call Centra na 032/340-410

Cena na sajtu su iskazane u dinarima sa uračunatim porezom, a plaćanje se vrši isključivo u dinarima.

Nastojimo da budemo što precizniji u opisu proizvoda, prikazu slika i samih cena, ali ne možemo garantovati da su sve informacije kompletne i bez grešaka. Svi artikli prikazani na sajtu su deo naše ponude i ne podrazumeva da su dostupni u svakom trenutku.