

Kategorija: **Ruteri**

Proizvođač: **cudy**

**Whole Home Wi-Fi Gigabit Mesh System
Cudy M1300 AC1200 Dual Band(1-Pack)**

Web cena: 4.290,00 RSD

Šifra: **6971690792800**



Specifikacija

Hardware

Model	M1300 1.0
CPU	880 MHz Dual-Core, MIPS1004Kc
Flash/ROM	16 MB (128 Mbit) NOR
DDR/RAM	128 MB (1 Gbit) DDR3
Wi-Fi brzina 5 GHz	867 Mbps
Wi-Fi brzina 2.4 GHz	300 Mbps
5 GHz Wi-Fi Streams	2T2R (2×2 MIMO)
2.4 GHz Wi-Fi Streams	2T2R (2×2 MIMO)
Wi-Fi antene	4× Internal
FEM/PA/LNA	5 GHz: 2× Internal, 2.4 GHz: 2× Internal
Beamforming	True
Maksimalni domet	170 m (558 ft) u otvorenom prostoru
Wall Performance	2 drvena zida <10 cm ili 1 beton <20 cm
Indoor Coverage	2 Pack: 160 m ² (1700 sq ft), 3 Pack: 220 m ² (2400 sq ft) – za Mesh satelite
Gigabit RJ45 Ports	2 (Port 1 WAN po default-u; Mesh satelit: svi LAN)
LED indikatori	System, Speed/Link/ACT Ethernet Port
Fizikalni tasteri	WPS Button, Reset Button
Napajanje	DC Jack, 12V□1A
Adapter u pakovanju	Input: 100–240V~, 50/60Hz; Output: 12V□1A

Radna temperatura	0 °C ~ 40 °C
Temperatura skladištenja	-40 °C ~ 70 °C
Radna vlažnost	10% ~ 90% bez kondenzacije
Vlažnost skladištenja	5% ~ 95% bez kondenzacije
Certifikati	FCC, CE
Instalacija	Desktop
Dimenzije	Φ110 × 154.5 mm (Φ4.33 × 6.08 inches)
Paket sadrži	M1300, Power Adapter, Ethernet Cable, Installation Guide
Software	
VPN Client	WireGuard, OpenVPN, IPsec, Zerotier, PPTP, L2TP
VPN Performance	OpenVPN Client (UL/DL): 22 / 24.7 MbpsOpenVPN Server (UL/DL): 22 / 20.9 MbpsWireGuard Client (UL/DL): 142 / 233.9 MbpsWireGuard Server (UL/DL): 213 / 152 Mbps
DNS Options	DNS over TLS, Manual DNS, Rebind Protection, Override Clients' DNS
DNS Providers	Cloudflare, Google, Quad9, Custom
Wake on LAN	True
Online Detection	True
Max Concurrent VPN Tunnels	IPSec: 20PPTP/L2TP: 16OpenVPN: 16
Parental Controls	Profiles Settings, Offline Time, Online Time, Pause the Internet, Web Filter
All Devices Management	Wi-Fi Time Schedule, MAC Filter, IP/MAC Binding
Per-Device Management	Internet On/Off, VPN On/Off, Online Time Schedule, Device Rename
Content Management	Domain Filter, IP Filter
LED Control	True
Local Control Method	Config Web Page, App Control
Remote Control Method	Config Page via HTTPS, App Control
TR-069 Support	TR069/TR098/TR111/TR143/TR181
Firmware Upgrade	Local Update, App (Over the Air), Online Update
Reliability Features	Timed Reboot, Backup and Restore
Diagnostic Tools	Diagnosis, Ping, Traceroute, NSLookup, System Log

Languages
Supported

English, Bengali, Catalan, Czech, German, Greek, Spanish, French, Hebrew, Croatian, Hungarian, Italian, Japanese, Khmer, Korean, Dutch, Norwegian, Polish, Portuguese, Romanian, Russian, Slovak, Swedish, Thai, Turkish, Ukrainian, Vietnamese, Simplified Chinese, Traditional Chinese

Dashboard
Panels

Internet Status, Mesh Status, Devices Management, WAN Status, LAN Status, WISP Status, Wi-Fi Status, VPN Status, DHCP Server Status, System Version

Charts /
Metrics

Mesh Topology, Internet Speed, WISP Speed, Wi-Fi Speed

Raspoloživost robe možete proveriti pozivanjem Call Centra na 032/340-410

Cena na sajtu su iskazane u dinarima sa uračunatim porezom, a plaćanje se vrši isključivo u dinarima.

Nastojimo da budemo što precizniji u opisu proizvoda, prikazu slika i samih cena, ali ne možemo garantovati da su sve informacije kompletne i bez grešaka. Svi artikli prikazani na sajtu su deo naše ponude i ne podrazumeva da su dostupni u svakom trenutku.