

Kategorija: **INKJET**
Proizvođač: **Brother**

Šifra: **DCPT435WYJ1**

MFP InkJet CISS Brother DCP-T435 A4
1200x6000dpi/128MB/WiFi/USB/BTD100

Maloprodajna cena: 26.450,00 RSD

Web cena: 25.190,00 RSD

Ušteda: 1.260,00 RSD



Specifikacija

Opšte

Vrsta štampača	Kolor
Funkcija	Štampanje, Skeniranje , Kopiranje
Tehnologija	Inkjet
Maksimalna veličina papira	A4
Povezivost	USB, Bežično
Memorija	Interni (128 MB)
Kontrolna tabla	Tasteri
Displej	Da (LED)

Štampa

Brzina jednostrane štampe A4 Mono	16 (slike u minuti)
Vreme izlaza prvog štampanja	Mono (6.2 sekundi), Boja (9.6 sekundi)
Mobilna štampa	Da
Rezolucija	Do 1.200 x 6000dpi
Tihi režim	Da
Radni ciklus	Do 1000 stranica

Drajveri štampača

Drajveri štampača	ChromeOS (Podržava matično štampanje sa ChromeOS-a), macOS (Preporučujemo korišćenje AirPrint od 11,0,x), Windows (11), Posetite support.brother.com za kompletnu listu podržanih OS i da preuzmete najnovije drajvere i softver
-------------------	---

Dodavanje papira

Ulaz papira	Slot za ručno uvlačenje (1 list), Standardno (kaseta 1) (150 listova)
Izlaz papira	A4 (50 listova)
Veličine medija	Standardno (kaseta 1) (A4, LTR, EXE, A5, A6, Fotografija (10 x 15 cm), Indeksna karta (13 x 20 cm), Fotografija-2L (13 x 18cm), C5 koverta, DL Koverta, Monarch, LGL, Folio, Mexico Legal, India Legal), Staklo skenera (Dužina: do 297,0 mm, Širina: do 215,9 mm), Manual Feed Slot (10 x 15cm, A4, A5, Folio, India Legal, Legal, LTR, Mexico Legal)

Vrste i težine medija Slot za ručno uvlačenje (Običan, Reciklirano, Inkjet, Sjajni, 64 - 300g/m²), Standard (kasetna 1) (Sjajni, Inkjet, 64 - 220g/m², Običan, Reciklirano)

Kopiranje

Brzina jednostranog kopiranja A4 u boji 3.5 (slike u minuti)
Brzina jednostranog kopiranja A4 Mono 11 (slike u minuti)
Rezolucija kopiranja Do 1.200 x 1800 dpi
FCOT iz režima spremnosti (sekunde) Mono (13,0 sekundi), Boja (28.5 sekundi)
Funkcije kopiranja N u 1 kopiranje, 2 u 1 kopiranje ličnih dokumenata

Skeniranje

Vrsta skenera CIS (Contact Image Sensor)
Rezolucija Interpolirana (Do 19200 x 19200), Kolor (1.200 x 2.400dpi)
Dubina boje Input (30 bit Colour Processing), Output (24 bit Colour Processing)

Mreža

Podrška za bežično podešavanje Ne

Funkcije skeniranja

Standardne funkcije Skenira na (Fajl, Slika, E-mail)
Podrška za format fajla PDF, TIFF, JPEG

Drajveri skenera

Drajveri skenera Windows (Windows 11), Macintosh (AirPrint skeniranje), ChromeOS (Supports native ChromeOS scanning), Posetite support.brother.com za kompletnu listu podržanih OS i da preuzmete najnovije drajvere i softver

Alati za upravljanje flotom

Alati za upravljanje flotom LAN/WAN softver za upravljanje (BRAdmin Professional), Ugrađeni Web Server, Status Monitor

Softver

Softver isporučen Windows Software (Brother iPrint&Scan Desktop), Macintosh Software (Brother iPrint&Scan Desktop), Utilities, Easy Setup

Potrošni materijal i dodatna oprema

Kertridži BK (BTD100BK - 7500 stranica), C, M, Y (BTD100CMY - 5000 stranica)

Sadržaj kutije

Sadržaj kutije Kabl za napajanje, Vodič za brzo podešavanje, Garancija, Uređaj, Pribor

Dimenzije i težine

Dimenzije sa kartonom 461 mm (Š) x 208 mm (D) x 461 mm (V)
Težina sa kartonom 7.3 kg
Dimenzije bez kartona 390 mm (Š) x 343 mm (D) x 149 mm (V)
Težina bez kartona 6.3 kg

Radni ciklus

Preporučena mesečna količina Do 1000 stranica

Radno okruženje

Energetski zahtevi AC (220-240V AC 50/60Hz)
Potrošnja energije (približno) Copying (16.0W), Ready (2.5W), Sleep (0.6W), Power Off (0.15W)
Zvučni pritisak Štampanje (55.0dBA)

Operativna ograničenja	Vlažnost % (20 - 80%), Stepeni Celzijusa (10°C - 35°C), Stepeni Farenhajta (50°F - 95°F)
Ograničenja skladišta	Stepeni Celzijusa (0°C - 40°C), Stepeni Farenhajta (32°F - 104°F), Vlažnost % (20 - 80%)

Povezivanje

Lokalni interfejs	Hi-Speed USB 2,0
Interfejs bežične mreže	2,4GHz: IEEE 802,11b/g/n (InfrastructureMode), 5GHz: IEEE 802,11a/n (Infrastructure Mode)
Podrška za bežično postavljanje	Ne

Mobilna povezivanje

Mobilna i veb veza Brother Mobile Connect (Android, iPad / iPhone), Apple AirPrint, Brother Print Service Plugin, Mopria®, Brother Apps, Android Print Service Plugin, Web Connect

Sigurnosne funkcije

Karakteristike	Ažuriranja firmvera, Bezbedno upravljanje tasterima, Automatsko otkrivanje upada, Ograničite mrežne protokole, Digitalno potpisan firmver, Secure Boot, Firmware Encryption
Sigurnost bežične mreže	SSL/TLSWireless (IPPS, HTTPS), SSL/TLS, WEP 64/128 bit, WPA-PSK (TKIP/AES), SSID (32 chr)
Filter IP-a	Da
IPv4	ARP, RARP, BOOTP, DHCP, APIPA (AutoIP), WINS/NetBIOS name resolution, DNSResolver, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, TFTP server, ICMP, Web Services (Print), Web Services (Scan), SNTPCClient, mDNS, HTTP Server, IPP, SNMPv1/v2c
IPv6	NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port / Port9100, SNMPv1/v2c/v3, TFTP server, ICMPv6, Web Services (Print), Web Services(Scan), HTTP Server, IPP, SMTP Client

Raspoloživost robe možete proveriti pozivanjem Call Centra na 032/340-410

Cena na sajtu su iskazane u dinarima sa uračunatim porezom, a plaćanje se vrši isključivo u dinarima.

Nastojimo da budemo što precizniji u opisu proizvoda, prikazu slika i samih cena, ali ne možemo garantovati da su sve informacije kompletne i bez grešaka. Svi artikli prikazani na sajtu su deo naše ponude i ne podrazumeva da su dostupni u svakom trenutku.