

Kategorija: **AMD matične ploče**

Proizvođač: **Gigabyte**

**Matična ploča AM5 Gigabyte B850M AORUS  
ELITE WF6E**

**Maloprodajna cena: 32.190,00 RSD**

**Web cena: 32.190,00 RSD**

Šifra: **4719331871123**



## Specifikacija

<b>Model</b>	Gigabyte B850M AORUS ELITE WIFI6E AM5 DDR5 Micro ATX Matična ploča
<b>Socket</b>	AMD Socket AM5
<b>Skup čipova (Chipset)</b>	AMD B850
<b>Podrška za procesore</b>	AMD Ryzen 9000 Series ProcessorsAMD Ryzen 8000 Series ProcessorsAMD Ryzen 7000 Series Processors
<b>Tip memorije (RAM)</b>	DDR5
<b>Broj memorijskih slotova</b>	4x 288-Pin DDR5 Support for DDR5 8200(O.C) / 8000(O.C) / 7950(O.C) / 7900(O.C) / 7800(O.C) / 7600(O.C.) / 7400(O.C.) / 7200(O.C.) / 7000(O.C.) / 6800(O.C.) / 6600(O.C.) / 6400(O.C) / 6200(O.C) / 6000(O.C) / 5800(O.C) / 5600(O.C) / 5200 / 4800 / 4400 MT/s memory modules.4 x DDR5 DIMM sockets supporting up to 256 GB (64 GB single DIMM capacity) of system memoryDual channel memory architectureSupport for non-ECC Un-buffered DIMM 1Rx8/2Rx8/1Rx16 memory modules
<b>Podrška za memorije</b>	
<b>Podrška za grafiku - portovi</b>	Integrated Graphics Processor with AMD Radeon Graphics support:- 1 x DisplayPort, supporting a maximum resolution of 3840x2160 144HzSupport for DisplayPort 1.4 version and HDR.- 1 x Front HDMI port, supporting a maximum resolution of 1920x1080 30HzSupport for HDMI 1.4 version.
<b>Slotovi za proširenja</b>	<b>1 x PCI Express x16 slot (PCIEX16), integrated in the CPU:</b> AMD Ryzen 9000/7000 Series Processors support PCIe 5.0 x16 modeAMD Ryzen 8000 Series-Phoenix 1 Processors support PCIe 4.0 x8 modeAMD Ryzen 8000 Series-Phoenix 2 Processors support PCIe 4.0 x4 modeThe PCIEX16 slot can only support a graphics card or an NVMe SSD. If only one graphics card is to be installed, be sure to install it in the PCIEX16 slot. <b>Chipset:-</b> 1 x PCI Express x16 slot, supporting PCIe 3.0 and running at x4 (PCIEX4)
<b>M.2 portovi</b>	2x M.2 Socket 3

	<p><b>1 x M.2 connector (M2A_CPU), integrated in the CPU, supporting Socket 3, M key, type 25110/22110/2580/2280 SSDs:</b>AMD Ryzen 9000/7000 Series Processors support PCIe 5.0 x4/x2 SSDsAMD Ryzen 8000 Series-Phoenix 1 Processors support PCIe 4.0 x4/x2 SSDsAMD Ryzen 8000 Series-Phoenix 2 Processors support PCIe 4.0 x4/x2 SSDs<b>1 x M.2 connector (M2B_CPU), integrated in the CPU, supporting Socket 3, M key, type 22110/2280 SSDs:</b>AMD Ryzen 9000/7000 Series Processors support PCIe 4.0 x4/x2 SSDsAMD Ryzen 8000 Series-Phoenix 1 Processors support PCIe 4.0 x4/x2 SSDsAMD Ryzen 8000 Series-Phoenix 2 Processors support PCIe 4.0 x2 SSDs4 x SATA 6Gb/s connectorsRAID 0, RAID 1, RAID 5, and RAID 10 support for NVMe SSD storage devicesRAID 5 is only available on AMD Ryzen 9000 Series Processors.RAID 0, RAID 1, and RAID 10 support for SATA storage devices</p>
<b>Čuvanje podataka - portovi</b>	
<b>SATA portovi</b>	4x SATA 6Gb/s
<b>LAN</b>	Realtek 2.5GbE LAN chip (2.5 Gbps/1 Gbps/100 Mbps)
<b>Bežična mreža</b>	Realtek Wi-Fi 6E RTL8852CE- WIFI a, b, g, n, ac, ax, supporting 2.4/5/6 GHz carrier frequency bands
<b>Bluetooth</b>	5.3
<b>Zvuk (Audio)</b>	Realtek Audio CODEC (Only for rev. 1.0)High Definition Audio2/4/5.1/7.1-channelYou can change the functionality of an audio jack using the audio software. To configure 7.1-channel audio, access the audio software for audio settings.Support for S/PDIF OutRealtek ALC1220 CODEC (Only for rev. 1.1)The back panel line out jack supports DSD audio.High Definition Audio2/4/5.1/7.1-channelYou can change the functionality of an audio jack using the audio software. To configure 7.1-channel audio, access the audio software for audio settings.Support for S/PDIF Out
<b>USB portovi</b>	<p><b>CPU:-</b> 1 x USB Type-C port on the back panel, with USB 3.2 Gen 2 support- 2 x USB 3.2 Gen 2 Type-A ports (red) on the back panel  <b>CPU+USB 2.0 Hub:-</b> 4 x USB 2.0/1.1 ports on the back panel  <b>Chipset+USB 3.2 Gen 1 Hub:-</b> 4 x USB 3.2 Gen 1 ports on the back panel  <b>Chipset:-</b> 1 x USB Type-C port with USB 3.2 Gen 2x2 support, available through the internal USB header- 3 x USB 3.2 Gen 1 ports (1 port on the back panel, 2 ports available through the internal USB header)- 4 x USB 2.0/1.1 ports available through the internal USB headers</p>
<b>Konektori na zadnjoj strani</b>	<p>1 x DisplayPort (Note)1 x Q-Flash Plus button4 x USB 2.0/1.1 ports5 x USB 3.2 Gen 1 ports2 x USB 3.2 Gen 2 Type-A ports (red)1 x USB Type-C port, with USB 3.2 Gen 2 support1 x RJ-45 port2 x antenna connectors (2T2R)2 x audio jacks1 x optical S/PDIF Out connector</p>
<b>Unutrašnji konektori</b>	<p>1 x 24-pin ATX main power connector1 x 8-pin ATX 12V power connector1 x CPU fan header1 x CPU fan/water cooling pump header3 x system fan headers1 x system fan/water cooling pump header3 x addressable RGB Gen2 LED strip headers1 x RGB LED strip header2 x M.2 Socket 3 connectors4 x SATA 6Gb/s connectors1 x front panel header1 x front panel audio header1 x USB Type-C header, with USB 3.2 Gen 2x2 support1 x USB 3.2 Gen 1 header2 x USB 2.0/1.1 headers1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0/GC-TPM2.0 SPI V2 module only)1 x HDMI port (Note)1 x reset button1 x reset jumper1 x Clear CMOS jumper</p>
<b>Posebne mogućnosti</b>	Support for GIGABYTE Control Center (GCC)Support for Q-FlashSupport for Q-Flash PlusSupport for Smart BackupVoltage detectionTemperature detectionFan speed detectionWater cooling flow rate detectionFan fail warningFan speed control
<b>Operativni sistem</b>	Windows 10; Windows 11
<b>BIOS</b>	1 x 256 Mbit flashUse of licensed AMI UEFI BIOSFnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0
<b>Format</b>	Micro ATX
<b>Link ka proizvođaču</b>	<a href="https://www.gigabyte.com/">https://www.gigabyte.com/</a>

Raspoloživost robe možete proveriti pozivanjem Call Centra na 032/340-410

Cena na sajtu su iskazane u dinarima sa uračunatim porezom, a plaćanje se vrši isključivo u dinarima.

Nastojimo da budemo što precizniji u opisu proizvoda, prikazu slika i samih cena, ali ne možemo garantovati da su sve informacije kompletne i bez grešaka. Svi artikli prikazani na sajtu su deo naše ponude i ne podrazumeva da su dostupni u svakom trenutku.